



Kirk Carr <kirk.carr@gmail.com>

FOIA Request For KBA Public Safety Facilities Analysis

Jake Muller <dpssuper@ridgefieldct.gov>

Thu, Apr 2, 2026 at 2:13 PM

To: Rudy Marconi <torfirstselectperson@ridgefieldct.gov>, Kirk Carr <kirk.carr@gmail.com>

Cc: Walfrido Martinez <torpsfcchair@ridgefieldct.gov>, "Jason A. Buchsbaum" <JBuchsbaum@cohenandwolf.com>, FOIA Requests <foia@ridgefieldct.gov>

Good afternoon Kirk-

Attached is the deliverable from the RFP as requested.

Thank you.

Best regards

Jake

Jacob Muller

Director of Public Works & Facilities

[60 South Street](#)

Ridgefield, CT 06877

(o) 203-431-2748

(m) 203-994-0346

(e) dpssuper@ridgefieldct.gov

From: Rudy Marconi <torfirstselectperson@ridgefieldct.gov>

Sent: Thursday, March 19, 2026 10:36 AM

To: Kirk Carr <kirk.carr@gmail.com>

Cc: Walfrido Martinez <torpsfcchair@ridgefieldct.gov>; Jake Muller

<dpssuper@ridgefieldct.gov>; Jason A. Buchsbaum <JBuchsbaum@cohenandwolf.com>

Subject: Re: FOIA Request For KBA Public Safety Facilities Analysis

[Quoted text hidden]



^Ridgefield FD-PD comb site studies_2021_0824.pdf
13395K

Gmail - FOIA Request For KBA Public Safety Facilities Analysis
6/11/26, 6:37 PM

Kirk Carr <kirk.carr@gmail.com>

FOIA Request For KBA Public Safety Facilities Analysis

Kirk Carr <kirk.carr@gmail.com> Thu, Apr 2, 2026 at 5:25 PM

To: Jake Muller <dpssuper@ridgefieldct.gov>

Cc: Rudy Marconi <torfirstselectperson@ridgefieldct.gov>, Walfrido Martinez <torpsfcchair@ridgefieldct.gov>, FOIA Requests <foia@ridgefieldct.gov>

Thanks again, Jake:

I wanted to follow up briefly on my earlier FOIA request to make sure I'm not overlooking anything.

The 2019 RFP outlined four potential approaches (renovation, renovation plus a satellite, a combined facility, or a hybrid). KBA's proposal also referenced evaluating alternatives and recommending a preferred concept.

Could you please confirm whether any document exists that compares those approaches side by side— independent of specific site evaluations—including their respective advantages, disadvantages, or a recommended direction?

If such a document exists, it could be very helpful to the Committee as a starting point. If not, a confirmation would be appreciated as well.

More generally, it seems that establishing the “what” and “why” before focusing on “where” may help ensure that any site evaluation is aligned with the underlying approach.

Thank you for your help,
Kirk

On Thu, Apr 2, 2026 at 2:14 PM Jake Muller <dpssuper@ridgefieldct.gov> wrote:

[Quoted text hidden]

final FD-PD RFP 20-01 07022019.pdf

532K

Gmail - FOIA Request For KBA Public Safety Facilities Analysis

6/11/26, 6:38 PM

Kirk Carr <kirk.carr@gmail.com>

FOIA Request For KBA Public Safety Facilities Analysis

Jake Muller <dpssuper@ridgefieldct.gov> Fri, Apr 3, 2026 at 8:00 AM

To: Kirk Carr <kirk.carr@gmail.com>

Cc: Rudy Marconi <torfirstselectperson@ridgefieldct.gov>, Walfrido Martinez <torpsfcchair@ridgefieldct.gov>, FOIA

Requests <foia@ridgefieldct.gov>

Good morning Kirk-

Yes, the most recent document serves this purpose. Committee.
It was also shared with the PSF

Best regards

Jake

Jacob Muller
Director of Public Works & Facilities
60 South Street
Ridgefield, CT 06877

(o) 203-431-2748

(m) 203-994-0346

(e) dpssuper@ridgefieldct.gov

sent on the move, please pardon any typos

From: Kirk Carr <kirk.carr@gmail.com>

Sent: Thursday, April 2, 2026 5:25 PM

To: Jake Muller <dpssuper@ridgefieldct.gov>

Cc: Rudy Marconi <torfirstselectperson@ridgefieldct.gov>; Walfrido Martinez <torpsfcchair@ridgefieldct.gov>; FOIA Requests <foia@ridgefieldct.gov>